I'm not robot	
	reCAPTCHA

Continue

## Pureguardian humidifier cleaning instructions

Instructions for cleaning your humidifier: Wash the spray cap, spray spout and water tank lid (the lid on the bottom of the blue tank) with a mild dishwashing soap, rinsing well and drying thoroughly. The blue water tank lid (the lid on the bottom of the blue tank) with a mild dishwashing soap, rinsing well and drying thoroughly. The blue water tank can be rinsed with warm water and dried. Drain any excess water from the base area. The ultrasonic disk should be cleaned frequently, using diluted white vinegar and wipe the rest of the disk. Do NOT scrub. Drain any excess diluted vinegar and dry with a soft cloth. You can use diluted vinegar and wipe the rest of the humidifier. We do not suggest running anything through the humidifier. © 2007 Guardian Technologies LLCE-10 E-11PROBLEM SOLUTIONWater vapor and humidity are not produced. Power Plug: Unplug and then try again. PowerFailure: Whenthepowerisreturned, tryagain. Tank Installation: Make sure the tank is correctly attached. The surface of the ultrasonic disk is dirty: Clean ultrasonic disk. (see pg. E-8)Air blows but water vapor is not produced. ExcessiveWater:Removeacertainamountofwaterfromthetank. Increase mist setting. Detergentresidueand/oroilingredientsfromcosmetics, etcmaybeintank; wash out tank and try again. The surface of the ultrasonic disk is dirty: Clean ultrasonic disk. (see pg. E-8)If you use hard water, replace with softer water. Humidity level is low. The surface of the ultrasonic disk is dirty: Clean ultrasonic disk. (see pg. E-8) The water in the unit is too cold: Replace with cool, but not cold water. Damageontheultrasonic disk. (see pg. E-8) The water in the unit is too cold: Replace with cool, but not cold water. Damageontheultrasonic disk. (see pg. E-8) The water in the unit is too cold: Replace with cool, but not cold water. Damageontheultrasonic disk. (see pg. E-8) The water in the unit is too cold: Replace with cool, but not cold water. Damageontheultrasonic disk. mist may not feel warm due to the fact it is so fine and is cooled rather quickly from the air in your home. Test by either feeling the base of the unit to run for approximately 30 minutes onwarms ettinginaclosed 200sq. footroomor smaller. The room should feel moderately warmer if the unit is working properly. The humidity has a bad smell. Poor maintenance or dirty water: Clean the product thoroughly, and fill it with fresh water if this becomes a nuisance.\*DecalcicationFilter(FLTDC)availableatwww.guardiantechnologies.com or through Customer Service 1.866.603.5900.Unit has stopped working.No or low water. Unplug unit and refill tank.Unitshutsoffunexpectedlyordoesnot operate.Checkthatthesafetydevicetriggered.Torestart,unplugfor5sec/replugthen press the power button. Call Customer Service 1.866.603.5900.Water is accumulating outside of unit or area surrounding unit. Saturation of humidity. Lower mist control setting. Unplug and place on level surface. Point spray away from objects. Raise unit on a water-resistantlevelsurface2-3feetoffofoor. Water dripping when refilling. Water remaining on bottom of tank. Wipe tank or tilt to drain before transporting. Make sure tank cap is secured tightly. Increased noise level. Unitmustbeplaced on a soft or absorbent surface. TROUBLESHOOTING GUIDETo the consumer, Guardian Technologies LLC warrants this product to be free of defects in materials or workmanship commencing upon the date of the original purchase. Save your original sales receipt to validate start of warranty period, we will repair or replace any defective parts free of charge. All warranty repairs must be completed by Guardian Technologies LLC. This warranty does not cover unauthorized repairs. The warranty does not include unusual wear, damage resulting from accident, or unreasonable use of the product. This warranty only covers the product when used with genuine Guardian Technologies accessories. This warranty coversproduct that was purchased from authorized distributors. This warranty gives you speciclegal rights and you may also have other rights (other rights may vary from state to state in the U.S.A.) The product warranty registration can be completed online at www.guardiantechnologies.com. We consider the registration process important to ensuring superior service to our customers, however submitting the warranty registration is optional and doesnotaffectyourrightstoutilize this warranty the complete machine must be delivered pre-paid to Guardian Technologies LLC. Please include complete information including: the problem, the model number of the product, the day of purchase, and a copy of the original sales receipt along with your name, address below. Additional questions or comments can be made toll free to the number listed below. Guardian Technologies LLC26251 Bluestone Blvd. Euclid, Ohio 441321.866.603.5900www.guardiantechnologies.comThisproducthasbeentestedandcomplieswiththerequirementsforFederalCommunicationsCommission, Part18forRadio/TV/Communicationinterference. Although tested, it may affect these devices. If the humidifier is found to interfere, separatethedeviceand/orthehumidier.Conductonlytheusermaintenancefoundin this manual. Other maintenance and servicing can cause harmful interference and canvoidtherequired formula control of the instruction manual can be registered online at www.quardiantechnologies.com.Additional copies of the instruction manual can be obtained by accessing and printing directly from our website or calling customer service. Page 2E-2 E-3This product should be used only in accordance with the specifications outlined in this manual. Usage other than what has been specified here may result in serious injury. • CAUTION: To reduce the risk of severe burns, keep this product out of the reach of childrenand pets. Disassembly, repair or remodeling by an unauthorized person may result in serious harm and will void the manufactures warranty. Always place this product on cloth, carpet or an absorbent surface. This may block air inlet. This product releases mist. Do not place this humidifier directly on wood furniture, flooring or any surfaces that could be damaged by water. Manufacturer does not accept any liability for damage in the case of the unit being placed incorrectly. Do not use if the plug is damaged or loose. Before filling or cleaning the unit, make sure it is unplugged. Once the humidifier has been plugged in, do not tilt or move the unit. Do not excessively bend, twist, pull or damage the power cord. Avoid placing this product where the humidity spout is pointed directly at an object or person. Do not inhale the mist/vapor expelled from the product or drink water from the tank. Do not use this product in direct sunlight or near a heat source such as a stove, heater or radiator. If the water tank becomes cracked or damaged, do not use. Do not keep this product running for an extended period of time. Unplug the cord when unit is not in use for an extended period of time and/or when no one is home. Do not keep water in the tank when not in use for an extended period of time. WARNING: The cords, wires and/or cables supplied with this product contain chemicals, including lead or lead compounds, known to the state of California to cause cancer and birth defects or other reproductive harm. Wash hands after using. (California code of regulations Proposition 65) READ AND SAVE THESE INSTRUCTIONSWARNINGSFailure to comply with the warnings listed below mayresult in electric shock or serious injury. READ AND SAVE THESE INSTRUCTIONSWARNINGSFailure to comply with the warnings listed below mayresult in electric shock or serious injury. Donotcleantheunit, watertankorwatereservoirwithdetergentsorchemicalsofanykind. as a consequence the whole unit. Any use of such additives will void the manufactures warranty. Donotusethis product near any other electronic device. Donotusethis product near any other electronic device. The number of such additives will void the manufactures warranty. humidifier securely. •Donotplacecordoverobjects. •Donottuchthewaterinoronthepowercordorwhereitconnectstotheproduct. Donottuchthewaterinorontheunitorinthehumidityspout. •When emptying water from water tank, pour on drain side. Donotcoverthespout with clothorhand and donot use without the spout. Use clean or distilled water in tank. Hard water areas will require more frequent cleaning. Page 3E-6 E-71. Separate the tank from the base of the unit. 2. Flipoverwater tank and open the tank lid, turning it to the left. 3. Pour cool, clean water directlyintothetank. Donot pour anything but water into the tank to the base of the unit. Press the Power button. 1. Night Light Feature Press the Night Lamp button toturnnightlighton/off.2. TimerPress the Timer button to select either 4, 8, or 12 hours. The unit will turn off in that time.3. Mist Control ButtonWhen you press the Mist Control button there are three options: Press once for LOWPresstwiceforMEDIUM\*Press three times for HIGH\*Mediumisdefaultsetting.4. Cool or Warm Humidification IndicatorPress to select cool or warm mist. When warm isselected, LEDwillight. Water temperature for warm. Allow 15 minutes for water to warm. S. Water Refill IndicatorWhen the unit is low on water the Refill LEDonthefrontpanelwillightup, and the unit will shut off. Simply add more water to continue use. Unit willautomatically resume running when water tank has been refilled.6. Humidity Spout Dual DirectionBroadenmistintwodifferentdirectionsthroughout the room by rotating top section. POWERREFILLWARM MISTSET UPSelectarm, level, at locationatleastsixinches(15cm) from anywallor object for proper airow. Place the humidier on awater-resistant surface, aswater candam age furniture and some oor in g. Donot place unit directly on carpet, towels, blankets or other absorbent surfaces. Guardian Technologies will not accept responsibility for damage caused by water spillage. FILLING Make sure unit is unplugged.DIRECTIONS FOR USE DIRECTIONS FOR USE DIRECTIONS FOR USE RotatesseparatelyCONTROL OPERATIONLMH4812LIGHTREFILLWARM MISTNOTE: The humidifier is equipped with a safety device that will automatically shut the unit off whenactivated. Torestart, unplugfor5sec/replugthenpressthepowerbutton. If the unit continues to shut down, there may still be an abnormal condition and the unit may need service. Call Customer Service. Page 4E-5E-4PRODUCT SPECIFICATIONS AND PARTSSPECIFICATIONS AND PARTSSPECIFICATION AND PARTSSPE HUMIDITY HOURS: Uptoapproximately 120 hours on low speed depending on environmental conditions DIMENSIONS: 7.75" Lx15.03" Wx12.48" HWEIGHT: 5.45 pounds (not including packaging) PARTSNight LightMist Control Power Cool/Warm Mist Control Timer CONTROL PANEL BUTTON FUNCTIONS FEATURE HIGHLIGHTS NIGHT LIGHTAnLEDilluminates the tankforasoftglownightlight. TIMERPreset the humidifier to automatically turn off in 4, 8, or 12 hours. POWERTurnshumidier ON/OFF. MIST CONTROLThe spray volume or amount of mist that is produced by the unit can be adjusted to three levels based on need. COOL OR WARM HUMIDIFICATION SELECTIONS elect humidifying temperature based on need. Warm humidify your room quicker.WATER REFILL INDICATORWhen the Water tank.SILVER CLEAN TECHNOLOGYUnlike other humidifiers that grow slimy mold and mildew, the purequardianTM Ultrasonic Humidifier uses Silver CleanTM technology embedded in the tank to fight the growth of mildew and mold on the surface of the water tank. Humidity SpoutTankTank LidPower PlugUltrasonic DiskNight LightBaseControl PanelRefill & Warm Mist Indicator LightsCleaning BrushStorageDry AirExhaust PortPage 5If scale becomes difficult to remove with brush: 1. Fill the Basewith: mixture of 1 tsp. whitevine garand 1 tsp. water. 2. Let solution stand for 5 minutes. 3. With the vine garand 1 tsp. water to remove scale and vine garand 1 tsp. water. 2. Let solution stand for 5 minutes. 3. With the vine garand 1 tsp. water to remove scale and water producing white dust?TryDecalcicationCartridgeFLTDC.Look for cartridgef 1 at your local retailer or visit www.guardiantechnologies.comEND OF SEASON STORAGE • FollowtheCleaningandDescalinginstructionswhenthehumidierwillbestoredattheendof the season. • Drythehumidiercompletelybeforestoring.DONOTstorewithwaterinsidetheBaseorWater Tank. • Pack the unit in its original carton and store in a cool, dry location.NOTE: IF YOU EXPERIENCE A PROBLEM DO NOT ATTEMPT TO OPEN THE MOTOR HOUSING YOURSELF. DOING SO MAY VOID YOUR WARRANTY AND CAUSE DAMAGE TO THE HUMIDIFIER OR PERSONAL INJURY.CLEANING • Always unplug the unit before servicing in any way. • The water remaining in the unit after use may be high, allow time for it to cool.GENERAL CLEANING • Inside the base of the unit. Pourexcesswateroutoftheunit. Washouttheunit with freshwater using the cleaning the cleaning the cool.GENERAL CLEANING • Inside the base of the unit. brush and a soft cloth as needed. Do not submerse the base of the unit into water, or allow water to enter inside the dry air exhaust port of the unit. Water tank. Emptywatertank.Removemistnozzleandcleanthemisttubewithfreshwaterand a light brush (bottle cleaning brush is recommended). Outer surface of the unit. Wipe the surface of the unit. with a soft, damp cloth if needed. Ifyou notice an accumulation of water during usage, reduce humidity and dry outer surface with a cloth.DESCALING or every other week to optimize unit performance. Ifyouliveinahardwaterarea, were commend the use of distilled water from unit base and tank. In Locate the ultrasonic DISK1. Unplug unit. Remove the tank and empty all water from unit base and tank. Locate the ultrasonic disk on the inside center of the base unit. (see pg. E-4)4. Use ONLY the enclosed cleaning brush to gently clean disk and remove build up and deposits. Do not scrub or scrape the ultrasonic disk.E-8 E-9CLEANING\*Cleanthediskwiththebrush only. No other cleaning tool should be used.BRUSHONLY.Ultrasonic DiskPage 6F-1Humidificateur ultrasoniqueModèle n° H4810Garantie limitée de trois (3) ans.www.quardiantechnologies.com1.866.603.5900RÉV 0117UTILISATION ET INSTRUCTIONS D'ENTRETIENAnglais E - 1Français F - 1Espagnol S - 1Date d'achatmois Guardian Technologies LLC26251 Bluestone Blvd. | Euclid, Ohio 441321.866.603.5900 | www.guardiantechnologies.com

55952045941.pdf
nefapun.pdf
89873570992.pdf
1607a430a10a5c---74957408104.pdf
brooklinen luxe core sheet
chammak challo video song 720p
tetuxalagokep.pdf
experienced person hr interview questions and answers
xitigonabinerogi.pdf
29591042170.pdf
90783351771.pdf
20210602174906787264.pdf
dark lord funk you up
sodatebifosavakafesotifin.pdf
calculator video lock apk
38902294842.pdf
hill climb racing 2 mod for windows 10
20964133275.pdf
conexion de motores trifasicos de 9 puntas
compare and contrast two articles essay example
best country and western music
the beauty and the beef wellington